

---

# snooper Documentation

*Release 0.3.0*

**Joel Bastos**

**Mar 09, 2020**



---

## Contents

---

<b>1</b>	<b>snooper</b>	<b>3</b>
1.1	Features . . . . .	3
<b>2</b>	<b>Installation</b>	<b>5</b>
2.1	Stable release . . . . .	5
2.2	From sources . . . . .	5
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Contributing</b>	<b>9</b>
4.1	Types of Contributions . . . . .	9
4.2	Get Started! . . . . .	10
4.3	Pull Request Guidelines . . . . .	11
4.4	Tips . . . . .	11
<b>5</b>	<b>Indices and tables</b>	<b>13</b>



Contents:



Snooper provides a simple way for finding AWS resources.

- Free software: MIT license
- Documentation: <https://snooper.readthedocs.io>.

## 1.1 Features

Currently supporting:

- EC2 stopped instances
- EBS unused volumes
- EC2 running instances
- EBS in use volumes
- Security Groups with world open ports
- List available AWS regions
- Destroy unused/stopped resources





### 2.1 Stable release

To install snooper, run this command in your terminal:

```
$ pip install snooper
```

This is the preferred method to install snooper, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

### 2.2 From sources

The sources for snooper can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/kintoandar/snooper
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/kintoandar/snooper/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```



## CHAPTER 3

---

### Usage

---

To use snooper in a project:

```
import snooper
```



Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

## 4.1 Types of Contributions

### 4.1.1 Report Bugs

Report bugs at <https://github.com/kintoandar/snooper/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

### 4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

### 4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

### 4.1.4 Write Documentation

snooper could always use more documentation, whether as part of the official snooper docs, in docstrings, or even on the web in blog posts, articles, and such.

### 4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/kintoandar/snooper/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 4.2 Get Started!

Ready to contribute? Here's how to set up *snooper* for local development.

1. Fork the *snooper* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/snooper.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv snooper
$ cd snooper/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 snooper tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.6, 2.7, 3.3, 3.4 and 3.5, and for PyPy. Check [https://travis-ci.org/kintoandar/snooper/pull\\_requests](https://travis-ci.org/kintoandar/snooper/pull_requests) and make sure that the tests pass for all supported Python versions.

## 4.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_snooper
```





## CHAPTER 5

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`